REMARKS

Claims 1-6 have been cancelled and replaced by Claims 7-16. These claims are supported by the original claims. A new abstract is enclosed.

An early action of the merits is respectfully requested.

Respectfully submitted,

By _____
Thomas W. Roy
Attorney for Applicants
Reg. No. 29,582

Bayer Corporation
100 Bayer Road
Pittsburgh, Pennsylvania 15205-9741
(412) 777-8345
FACSIMILE PHONE NUMBER:
(412) 777-8363

/jme/TWR0200

IN THE SPECIFICATION:

At page 1, and on page 20 (Abstract) delete the title and insert

--CONDENSATION CROSS-LINKING POLYURETHANE MATERIALS CONTAINING SPECIAL AMINOSILANES, A METHOD FOR THE PRODUCTION THEREOF AND THEIR USE--.

At page 1, line 3 insert the heading --BACKGROUND OF THE INVENTION--.

Before page 2, line 1 insert the heading --SUMMARY OF THE INVENTION--.

At page 3, line 18 insert the heading --DETAILED DESCRIPTION OF THE INVENTION--.

IN THE CLAIMS:

Claims 1-6 were cancelled.

The following claims were added:

--7. A polyurethane composition which cross-links via silane polycondensation and comprises

A) at least one alkoxysilane-functional polyurethane having end groups corresponding to formula (I)



(I),

wherein

R^1 represents an organic group having 1 to 12 carbon atoms,

n is an integer from 2 to 4 and

X, Y, Z represent identical or different organic groups, provided that at least one of the groups is an alkoxy group having 1 to 4 carbon atoms,

B) at least one basic filler,

C) at least one reaction product of

i) at least one aminosilane corresponding to formula (II)



(II),

wherein

R^2 represents a hydrogen atom or an aminoethyl group and

n, X, Y, Z have the meanings set forth for formula (I),

with

ii) at least one maleic or fumaric ester corresponding to formula (III)

$$R_3OOC\text{-}CH{=}CH\text{-}COOR_3 \quad \text{(III)},$$

wherein

R_3 represents an alkyl group having 1 to 12 carbon atoms, and

E) at least one organometallic compound.

8. The polyurethane composition of Claim 7 wherein R_1 represents a group corresponding to formula (IIb)



(IIb),

wherein R_4 denotes an alkyl group having 1 to 4 carbon atoms.

9. The polyurethane composition of Claim 7 wherein component C) comprises an aminosilane compound corresponding to formula (V)



(V),

wherein

R_3 represents a linear or branched aliphatic hydrocarbon group having at most 12 carbon atoms,

n is 3 and

X, Y and Z represent methoxy or ethoxy groups.

10. The polyurethane composition of Claim 7 wherein X, Y and Z each represent a methoxy or ethoxy group.

11. The polyurethane composition of Claim 8 wherein X, Y and Z each represent a methoxy or ethoxy group.

12. The polyurethane composition of Claim 9 wherein X, Y and Z each represent a methoxy or ethoxy group.

13. The polyurethane composition of Claim 7 wherein X, Y and Z each represent a methoxy group in component A).

14. The polyurethane composition of Claim 8 wherein X, Y and Z each represent a methoxy group in component A).

15. The polyurethane composition of Claim 9 wherein X, Y and Z each represent a methoxy group in component A).

16. A process for the preparation of the polyurethane composition of Claim 1 which comprises mixing components A), B), C-i) and E) with exclusion of moisture and subsequently adding component C-ii).--